

SUN COOL
FABRICS

OMEGA PRO


Openness Factor 5%
Screen Fabric




Your Solutions Weaver and Fabric Support Partner

Experience enhanced durability and style with Omega Pro – the premier outdoor shade fabric with all the coordinated colors of YUMA's original Omega fabrics, plus extra thick core yarns for added resilience in exterior environments. Omega Pro provides excellent daylight and solar control with its 3% openness factor and boasts a sleek and modern appearance that complements any environment.






BROWN/TAUPE SC-A1-512




WHITE SC-A1-501




WHITE/LINEN SC-A1-502




WHITE GRAY SC-A1-503




LIGHT GRAY SC-A1-506




DARK GRAY SC-A1-508



GRAY/BLACK SC-A1-510



BLACK SC-A1-511



CHARCOAL TAUPE SC-A1-513

FABRICATION METHODS

Cutting: Cold Cut, Ultrasonic, Crush Cut or Laser

Seaming / Hemming: Thermal, High-Frequency, Ultrasonic or Sewing.

PRODUCT SPECIFICATIONS

COMPOSITION	30% Polyester + 70% PVC
ROLL WIDTH	118", 138"
ROLL LENGTH	33 yd
WEIGHT / YD2	15.32 oz/yd2 ± 5%
THICKNESS	.030" ± 5%
COLOR FASTNESS	8 Grade (SGS)
YARN COUNT	36 * 36
BREAKING STRENGTH	Warp 2600 N/5cm Weft 2600 N/5cm

CARE AND CLEANING

Remove dust with vacuum cleaner or compressed air. Do not scrub. Do not use solvents or any abrasive substance which might damage the coating on the fabric. Clean with a sponge or a soft brush dipped in soapy water using mild detergent. Rinse with clean water. Leave the shade down until completely dry. You can also rub the fabric very gently with a clean white pencil eraser to remove small stains.

CERTIFICATIONS, TESTS, AND WARRANTY

CALIFORNIA
TITLE 19

FLAME RETARDANT

OEKO-TEX®
STANDARD
100

FREE OF HARMFUL
CHEMICALS

UL
GREENGUARD
GOLD

HEALTHY INDOOR
AIR QUALITY

ROHS
COMPLIANT

FREE OF HARMFUL
METALS

10 YEAR
WARRANTY

QUALITY
GUARANTEED

ASTM
G-21 &
E-2180

BACTERIA &
FUNGAL RESISTANCE

NFPA®
701-TM

FIRE RETARDANT

YUMA®

www.yumausa.com